NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 7

Ratios and Proportional Relationships

	Ratios and Proportional Relationships					
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes	
sters	ips and use them to solve real-world olems.	7.RP.A.1	1. Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks 1/2 mile in each 1/4 hour, compute the unit rate as the complex fraction (1/2)/(1/4) miles per hour, equivalently 2 miles per hour.	1. Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. For example, if a person walks 1/2 mile in each 1/4 hour, compute the rate as the complex fraction (1/2)/(1/4) miles per hour, equivalently 2 miles per hour with 2 being the unit rate.	Clarification	
Clusters	 A. Analyze proportional relationships and use them to solve real-world problems. 	7.RP.A.2	Recognize and represent proportional relationships between quantities.	2. No Change		

Submit comments on the draft NYS Grade 7 Mathematics Learning Standards NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 7 The Number System

	The Number System						
		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes		
Clusters	d extend previous understandings of fractions to add, subtract, multiply, and divide rational numbers.	7.NS.A.1	Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram.	1. No Change			
	A. Apply and extend pre operations with fractions to divide ration	7.NS.A.1a	1a. Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged.	1a. Describe situations in which opposite quantities combine to make 0. For example, a hydrogen atom has 0 charge because it has one negatively charged electron and one positively charged proton.	Clarification		

		Sabilit Comments on the draft 1415	Orace / Mainemanes Learn
	7.NS.A.1b	1b. Understand p + q as the number located a	

Submit comments on the draft NYS Grade

	operations with fractions to add, subtract, multiply, itional numbers.	7.NS.A.2a	2a. Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as (-1)(-1) = 1 and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts.	2a. No Change	
Clusters	of or	7.NS.A.2b	2b. Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers then $-(p/q) = (-p)/q = p/(-q)$. Interpret quotients of rational numbers by describing real-world contexts.	2b. No Change	
	A. Apply and extend previous understandings and divide	7.NS.A.2c	Apply properties of operations as strategies to multiply and divide rational numbers.	2c. No Change	
				Mathematics Learning Standards	
				Grade 7 mber System	
		Standard	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes

Submit comments on the draft NYS Grade 7

NYS Grade 6 to Grade 8 Mathematics Learning Standards Grade 7 **Expressions and Equations (Inequalities)** Standard **Current Standard Revised Standard Recommendation for 2018-19** Additional Information/Notes Code 7.EE.A.1 1. Apply properties of operations as strategies to 1. No Change add, subtract, factor, and expand linear A. Use properties of operations to generate equivalent expressions. expressions with rational coefficients. 7.EE.A.2 2. Understand that rewriting an expression in Understand that rewriting an expression in different Clarification different forms in a problem context can shed forms in a problem context can shed light on the light on the problem and how the quantities in problem and how the quantities in it are related. For it are related. For example, a + 0.05a = 1.05aexample, a + 0.05a and 1.05a are equivalent means that "increase by 5%" is the same as expressions meaning that "increase by 5%" is the "multiply by 1.05." same as "multiply by 1.05." 3. Solve multi-step real-life and mathematical 3. Solve multi-step real-life and mathematical problems 7.EE.B.3 Clusters B. Solve real-life and mathematical problems using numerical and algebraic expressions and equations problems posed with positive and negative posed with positive and negative rational numbers in rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental (inequalities) computation and estimation strategies. For example: If a woman making \$25 an hour gets a 10% raise, she will make an additional 1/10 of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar 9 3/4 inches long in the center of a door that is 27 1/2 inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.

NYS Grade 6 to Grade 8 Mathematics Learning Standards Grade 7 **Expressions and Equations (Inequalities)** Standard **Current Standard** Revised Standard Recommendation for 2018-19 Additional Information/Notes Code 7.EE.B.4 4. Use variables to represent quantities in a real-4. No Change world or mathematical problem, and construct Solve real-life and mathematical problems using numerical and algebraic expressions and equations (inequalities). simple equations and inequalities to solve problems by reasoning about the quantities. 4a. Solve word problems leading to equations of 4a. Fluently solve word problems leading to equations of 7.EE.B.4a

the form px + q = r and p(x + q) = r, where p, q, and r

are rational numbers and x represents the unknown

arithmetic solution, identifying the sequence of the

operations used in each approach. For example, The

perimeter of a rectangle is 54 cm. Its length is 6 cm.

quantity. Compare an algebraic solution to an

What is its width?

the form px + q = r and p(x + q) = r, where p, q,

equations of these forms fluently. Compare an

identifying the sequence of the operations used

in each approach. For example, The perimeter

of a rectangle is 54 cm. Its length is 6 cm. What

and r are specific rational numbers. Solve

algebraic solution to an arithmetic solution,

is its width?

œ.

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 7 Geometry

		Standard Code	Current Standard	Revised Standard Recommendation for 2018-19	Additional Information/Notes
Clusters	Clusters geometrical figures and describe the relationships	7.G.A.1	Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.	1. No Change	
			2. Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	2. Explore geometric shapes through the use of freehand drawings, rulers, protractors, and/or technology. Focus on constructing triangles with given conditions from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.	Clarification
	A. Draw, construct and describe		Describe the two-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.	3. Explore and describe the two-dimensional figures that result from slicing three-dimensional figures parallel or perpendicular to a base, as in plane sections of right rectangular prisms and right rectangular pyramids.	Clarification, limiting the slices to those that are parallel or perpendicular to a base, though students could explore askew slices that will arise in in the discussion of plane sections at the high school level.

NYS Grade 6 to Grade 8 Mathematics Learning Standards

Grade 7 Statistics and Probability

	Submit comments on the draft NYS Grade / Mathematics Learning Standards						
	NYS Grade 6 to Grade 8 Mathematics Learning Standards						
	Grade 7						
			Statistics	s and Probability			
		Additional Information/Notes					
	lop, use and	7.SP.C.8a	8a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs.	8a. No Change			
Clusters	e processes and develop, use probability models.	7.SP.C.8b	8b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the outcomes in the sample space which compose the event.	8b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language, identify the outcomes in the sample space which compose the event. For example, "rolling double sixes".			
	C. Investigate chance evaluate						