New York State Regents Examination in Chemistry

2016 Technical Report

Prepared for the New York State Education



Figure 3 Scree Plot: Regents Examination in Chemistry

Local Independence

$T \quad | T \quad | T.$

Marais and Andrich (2008) point out that local item dependence in the Rasch model can occur in two ways that may be difficult to

and can be directly compared to scale scores on all previous administrations back to the June 2004 administration.

When the base administration was concluded, the initial raw score to scale score relationship was established. Three raw scores were fixed at specific scale scores. Scale scores of 0 and 100 were fixed to correspond to the minimum and maximum possible raw scores. In addition, a standard setting had been held to determine the passing and passing with distinction cut scores in the raw score metric. The scale score points of 65 and 85 were set to correspond to those raw score cuts. A third-degree polynomial is required to fit a line exactly to four arbitrary points (e.g., the raw scores corresponding to the four critical scale scores of 0, 65, 85, and 100). The general form of this best-fitting line is:

5 5L I u Û4 5 E I t Û4 5 E I s Û4 5E I r,

where SS is the scaled score, RS is the raw score, and m0 through m3 ar

in

followed with the minimum score; if any raw scores other than zero have scale scores that round to zero, their scale scores are instead set equal to one.

Chapter 4: Reliability (Standard 2)

Test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a measure of the extent to which the items on a test provide consisteetion ƀD (t)f (to)-rm (e)-3 (n)6i1

Reliability coefficients range from 0.0 to 1.0. The index will be 0.0 if none of the test score variances is true. If all test score variances were true, the index would equal 1.0. Such scores would be pure random noise (i.e., all measurement error). If the index achieved a value of

standard deviation) into account. Consider that a SEM of 3 on a 10-point test would be very different from a SEM of 3 on a 100-point test.

Traditional Standard Error of Measurement Confidence Intervals

The SEM is an index of the random variability in test scores reported in actual score units, which is why it has such great utility for test score users. SEMs allow statements regarding the SUHFLVLRQ RI LQGLYLGXDO WHVW VFRUHV 6(0V KHOS SOD around observed scores, through construction of an approximate score band. Often referred to as confidence intervals, these bands are constructed by taking the observed scores, *X*, and adding or subtracting a multiplicative factor of the SEM. As an example, students with a given true score will have observed scores that fall between ±1 SEM about two-thirds of the time.[4] For ±2 SEM confidence intervals, this increases to about 95 percent.

The Coefficient Alpha and associated SEM for the Regents Examination in Chemistry are provided in Table 7.

Table 7 Reliabilities and Standard Errors of Measurement: Regents Examination in Chemistry

Subject	Coefficient Alpha	SEM
Chemistry	0.95	3.58

Assuming normally distributed scores, one would expect about two-thirds of the observations to be within one standard deviation of the mean. An estimate of the standard deviation of the true scores can be computed as

$$_{T}V\sqrt{\ ^{2}_{x}V\ \ ^{2}_{x}V(1\ \ U_{xx})}\ .$$

Conditional Standard Error of Measurement

Every time an assessment is administered, the score that the student receives contains some error. If the same exam were administered an infinite number of times to the same student, the mean of the distribution of WKH VWXGHQW¶V UDZ VFRUHV ZRXOG score ( ), the score obtained with no error), and the standard deviation of the distribution of their raw scores would be the conditional standard error. Since there is a one-to-one correspondence between the raw score and in the Rasch model, we can apply this concept more gen60003>62 * nBT/G3 (re)-3 incpp7241.Qq0 0 612 792 reW* nBS1 gs/TT1 1/TT1 12 T6ply

Conditional Standard Error of Measurement Characteristics

The relationship between the scale score CSEM and depends both on the nature of the raw-to-scale score transformation (Kolen and Brennan, 2005; Kolen and Lee, 2011) and on Z K H W K H U W K H & 6 (0 L V G H U L Y H G I U R P W K H U The pattern of CSEMs for raw scores and linear transformations of the raw score tend to have a F K D U D F W H U L V W L F K D S H Z L W K and larger CSEMs towards the middle of the distribution.

Achievable raw score points for these distributions are spaced equally across the score U D Q J H . R O H Q re th550044W* n B3pc2 (M)3 (e3a q 0 5<0048>-3 <0051s--2 <0052.;2 <000

v619292reinTd[792re(619292 e0E>2 e005]TJE52304C0051>3 re3TJE58 <792ree (s)(v))3 (6192Ri)5 (e Tf5gd(reit1a



Figure 4

		TEST ONE		
		LEVEL I	LEVEL II	MARGINAL
TEST TWO	LEVEL I	M_{11}	M_{12}	$M_{1\cdot}$
	LEVEL II	M_{21}	M_{22}	$M_{2\cdot}$
	MARGINAL	$M_{\cdot 1}$	$M_{\cdot 2}$	1

Figure 5 Pseudo-Decision Table for Two Hypothetical Categories

		TEST ONE				
		LEVEL I	LEVEL II	LEVEL III	LEVEL IV	MARGINAL
WO	LEVEL I	M_{11}	M_{12}	M_{13}	M_{14}	$M_{1\cdot}$
	LEVEL II	M_{21}	M_{22}	M_{23}	M_{24}	$M_{2\cdot}$
	LEVEL III	M_{31}				

Since true scores are unobserved and decision consistency is computed based on a single administration of the Regents Examination in Chemistry, a statistical model using solely data from the available administration is used to estimate the true scores and to project the consistency and accuracy of classifications (Hambleton & Novick, 1973). Although a number of procedures are available, a well-known method developed by Livingston and Lewis (1995) that utilizes a specific true score model is .vo73)yod classific available

Table 9 Group Means: Regents Examination in Chemistry

Demographics	Number	Mean	

Chapter 5: Validity (Standard 1)

Restating the purpose and uses of the Regents Examination in Chemistry, this exam measures examinee achievement against the New York State learning standards. The exam is prepared by teacher examination committees and New York State Education Department subject matter and testing specialists, and it provides teachers and students with important information about student learning and performance against the established curriculum standards. Results of this exam may be used to identify student strengths and needs, in order to guide classroom teaching and learning. The exams also provide students, parents, counselors, administrators, and college admissions officers with objective and easily understood achievement information that may be used to inform empirically based educational and vocational decisions about students. As a state-provided objective benchmark, the Regents Examination in Chemistry is intended for use in satisfying state testing requirements for students who have finished a course in Chemistry. A passing score on the exam counts toward requirements for a high school diploma, as described in the New York State diploma requirements: http://www.nysed.gov/common/nysed/files/programs/curriculum-instruction/currentdiplomarequirements2.pdf. Results of the Regents Examination in Chemistry may also be used to satisfy various locally established requirements throughout the state.

The validity of score interpretations for the Regents Examination in Chemistry is supported by multiple sources of evidence. Chapter 1 of the *Standards for Educational Psychological Testing* (AERA et al., 2014) specifies five sources of validity evidence that are important to gather and document in order to support validity claims for an assessment:

- test content
- response processes
- internal test structure
- relation to other variables
- consequences of testing

It is important to note that these categories are not mutually exclusive. One source of validity evidence often falls into more than one category, as discussed in more detail in this chapter. Nevertheless, these classifications provide a useful framework within the *Standards* (AERA et al., 2014) for the discussion and documentation of validity evidence, so they are used here. The process of gathering evidence of the validity of score interpretations is best characterized as ongoing throughout the test development, administration, scoring, reporting, and beyond.

5.1 EVIDENCE BASED ON TEST CONTENT

The validity of test content is fundamental to arguments that test scores are valid for their intended purpose. It demands that a test developer provide evidence that test content is well-aligned with the framework and standards used in curriculum and instruction. Accordingly, 1 (inst)]TJ0 612 792 to argumeardsm umeardsa(l)ETQq0 0 6g-31 (a)-36 reW* nBT0 gulum and inst

The Regents Examination in Chemistry measures student achievement on the New York State Learning Standards for Chemistry. The standards can be found at: http://www.nysed.gov/curriculum-instruction/science.

Content Validity

Content validity is necessarily concerned with the proper definition of the construct and

Item Review Process

The item review process helps to ensure the consistent application of rigorous item reviews intended to assess the quality of the items developed and identify items that require edits or removal from the pool of items to be field tested. This process allows high-quality items to be continually developed in a manner that is consistent with the test blueprint. All reviewers participate in rigorous training designed to assist in a consistent interpretation of the standards throughout the item review process. This is a critical step in item development because consistency between the standards and what the items are asking examinees is a fundamental form of evidence of the validity of the intended score interpretations. Another integral component of this item review process is to review the scoring r X O H V R U, ´ ³ U R X E U L F their clarity and consistency in what the examinee is being asked to demonstrate by responding to each item. Each of these elements of the review process is in place, ultimately, to target fairness for all students by targeting consistency in examinee scores and providing evidence of the validity of their interpretations.

Specifically, the item review process articulates the four major item characteristics that the New York State Education Department looks for in developing quality items:

1. language and graphical appropriateness
2. sensitivity/bias
3. fidelity of measurement to standards
4. conformity to the expectations for the specific item types and formats

Each section of the criteria includes pertinent questions that help reviewers determine whether or not an item is of sufficient quality. Within the first two categories, criteria for language appropriateness are used to help ensure that students understand what is asked in each questi R Q D Q G W K D W W K H O D Q J X D J H L Q W K H T X H V W L R Q G R ability to perform the required task. Similarly, sensitivity/bias criteria are used to evaluate whether questions are unbiased, non-offensive, and not disadvantageous to any given subgroup(s).

The third category of item review, alignment, addresses how each item measures a given standard. This category asks the reviewer to comment on key aspects of how the item addresses and calls for the skills demanded by the standards.

The fourth category addresses the specific demands for different item types and formats. Reviewers evaluate each item, to ensure that it conforms to the given requirements. For example, multiple-choice4d5 Td(5 195.]TJETQ3Qq0 0 612 792 reW* nBT/TT1 12 Tf1

5.2 EVIDENCE BASED ON RESPONSE PROCESSES

The second source of validity evidence is based on examinee response processes. This standard requires evidence that examinees are responding in the manner intended by the test items and rubrics and that raters are sco792 reW* nSnncs2 12 Tri4 (E)-2 (Bes(a)-pi)5 (cs6p)5 (

3. Consistency or reliability of ratings (Congdon & McQueen, 2000; Harik, Clauser, Grabovsky, Nungester, Swanson, & Nandakumar, 2009; McQueen & Congdon, 1997; Myford, & Wolfe, 2009; Mero & Motowidlo, 1995; Weinrott & Jones, 1984)
4. Rubric designs that facilitate consistency of ratings (Pecheone & Chung, 2006; Wolfe & Gitomer, 2000; Cronbach, Linn, Brennan, & Haertel, 1995; Cook & Beckman, 2009; Penny, Johnson, & Gordon, 2000; Smith, 1993; Leacock, Gonzalez, and Conarroe

Four operational items for the June 2016 administration had a DIF flag from the field test. Three of the items (#s 3, 33, 46) had a moderate DIF favoring female students while the other one (# 11) had a moderate DIF favoring male students. This item was subsequently reviewed by content specialists. They were unable to identify content-based reasons why the items might be functioning differently between male students and female students and did not see any issue with using them for the operational exam.

Full differential item functioning results are reported in Appendix C of the 2007 ±2010, and 2012 technical reports and Appendix E of the 2013, 2014, and 2015 technical reports.

IRT Model Fit

Model fit for the Rasch method used to estimate location (difficulty) parameters for the items on the Regents Examination in Chemistry provide important evidence that the internal structure of the test is of high technical quality. The number of items within a targeted range of [0.7, 1.3] is reported in Table 5. The mean INFIT value is 1.00, with all items falling in a targeted range of [0.7, 1.3]. As the range of [0.7, 1.3] is used as guide for ideal fit, fit values outside of the range are considered individually. These results indicate that the Rasch model fits the Regents Examination in Chemistry item data well.

Test Reliability

As discussed, test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a measure of the extent to which the items on a test provide consistent information about student mastery of the domain. Reliability should ultimately demonstrate that examinee score estimates maximize consistency and therefore minimize error or, theoretically speaking, that examinees who take a test multiple times would get the same scores each time. The reliability estimate for the Regents Examination in Chemistry is 0.95, showing high reliability of examinee scores. Refer to section 4 of this report for additional details.

Classification Consistency and Accuracy

A decision consistency analysis measures the agreement between the classifications, based on two non-overlapping, equally difficult forms of the test. If two parallel forms of the test were given to the same students, the consistency of the measure would be reflected by the extent to which the classification decisions based on the first set of test scores matched the decisions based on the second set of test scores. Decision accuracy is an index to determine the extent to which measurement error causes a classification different from that expected from the true score. High decision consistency and accuracy provides strong evidence that the internal structure of a test is sound.

For the Regents Examination in

Dimensionality

In addition to model fit, a strong assumption of the Rasch model is that the construct measured by a test is unidimensional. Violation of this assumption might suggest that the test is measuring something other than the intended content and indicate that the quality of the test structure is compromised. A principal components analysis was de Patst3 (g)6 (gs8t)8 (e)-o ( )-1

variables) serve as a consequential validity argument, as well. This evidence supports conclusions based on test scores that social consequences are not likely to be traced to characteristics or qualities of the test itself.

Cronbach (1988), on the other hand, argues that negative consequences could invalidate test use. From this perspective, the test user is obligated to make the case for test use and to ensure appropriate and supported uses. Regardless of perspective on the nature of consequential validity, it is important to caution against uses that are not supported by the validity claims documented for this test. For example, use of this test to predict examinee scores on other tests is not directly supported by either the stated purposes or by the development process and research conducted on examinee data. A brief survey of websites of New York State universities and colleges finds that, beyond the explicitly defined use as a testing requirement toward graduation for students who have completed a course in Chemistry, the exam is most commonly used to inform admissions and course placement decisions. Such uses can be considered reasonable, assuming that the competencies demonstrated in the Regents Examination in Chemistry are consistent with those required in the courses for which a student is seeking enrollment or placement. Educational institutions using the exam for placement purposes are advised to examine the scoring rules for the Regents Examination in Chemistry and to assess their appropriateness for the inferences being made about course placement.

As stated, the nature of validity arguments is not absolute, but it is supported through ongoing processes and studies designed to accumulate support for validity claims. The evidence provided in this report documents the evidence to date that supports the use of the Regents Examination in Chemistry scores for the purposes described.

References

American Educational Research Association, American Psychological Association, &

McQueen, J., & Congdon, P. J. (1997, March). *Rater severity in large-scale assessment: Is it invariant?* Paper presented at the Annual Meeting of the American Educational Research Association, Chicago, IL.

Mero, N. P., & Motowidlo, S. J. (1995). Effects of rater accountability on the accuracy and the favorability of performance ratings. *Journal of Applied Psychology, 80*(4), 517 ±524.

Myford, C. M., & Wolfe, E. W. (2009). Monitoring rater performance over time: A framework for detecting differential accuracy and differential scale use. *Journal of Educational Measurement, 46*(4), 371 ±389.

National Governors Association Center for Best Practices, & Council of Chief State School Officers. (2010). *Common Core State Standards*. Washington, DC: Authors.

Patz, R. J., Junker, B. W., Johnson, M. S., and Mariano, L. T. (2002). The Hierarchical Rater Model for Rated Test Items and its Application to Large-Scale Educational Assessment Data. *Journal of Educational and Behavioral Statistics*, 27: 341.

Pearson, K. (1896). Mathematical Contributions to the Theory of Evolution. III. Regression, Heredity and Panmixia. *Philosophical Transactions of the Royal Society of London*, 187, 253 ±318.

Pecheone, R. L., & Chung Wei, R. R. (2007). Performance assessment for California teachers: Summary of validity and reliability studies for the 2003 í 4 pilot year. Palo Alto, CA: Stanford University PACT Consortium.

Penny, J., Johnson, R. L., & Gordon, B. (2000). Using rating augmentation to expand the scale of an analytic rubric. *The Journal of Experimental Education, 68*(3), 269 ±287.

Schleicher, D. J., Day, D. V., Bronston, T., Mayes, B. T., & Riggo, R. E. (2002). A new frame for frame-of-reference training: Enhancing the construct validity of assessment centers. *Journal of Applie*

Weigle, S.C. (1998). Using FACETS to model rater training effects. *Language Testing* 15, 263 ±287.

Weinrott, L., & Jones, B. (1984). Overt verses covert assessment of observer reliability. *Child Development, 55,* 1125 ±1137.

Woehr, D. J., & Huffcutt, A. I. (1994). Rater training for performance appraisal: A quantitative review*. Journal of Occupational and Organizational Psychology, 67,* 189 ±205.

Wolfe, E. W., & Gitomer, D. H. (2000). *The influence of changes in assessment design on the psychometric quality of scores.* Princeton, NJ: Educational Testing Service.

Table A.2 Test Map for January 2016 Administration

Position										

Map for June 2016 Administration

Position										

B: Raw-to-Theta-to-Scale Score Conversion

e Table for August 2015 Administration

Table B.2 Score Table for January 2016 Administration

Raw Score	Ability	Scale Score
0	< -1.1864	0.000
1	> -1.9642	2.927
2	> -1.2449	5.564
3	> -.8134	8.076
4	> -.4997	10.485
5	> -.2505	12.793
6	> -.0422	15.001
7	> .1621	17.131
8	> .3525	19.173
9	> .5586	21.141

Appendix C: Item Writing Guidelines

CHECKLIST OF TEST CONSTRUCTION PRINCIPLES

(Multiple-Choice Items)

	YES	NO
1. Is the item significant?		
2. Does the item have curricular validity?		
3. Is the item presented in clear and simple language, with vocabulary kept as simple as possible?		
4. Does the item have one and only one correct answer?		
5. Does the item state one single central problem completely in the stem? (See Helpful Hint below.)		
6. ' R H V W K H V W H P L Q F O X G H D Q \ H [W U D Q H R X		
7. Are all responses grammatically consistent with the stem and parallel with one another in form?		
8. Are all responses plausible (attractive to students who lack the information tested by the item)?		
9. Are all responses independent and mutually exclusive?		
10. Are there any extraneous clues due to grammatical inconsistencies, verbal associations, length of response, etc.?		
11. Were the principles of Universal Design used in constructing the item?		

Appendix D: Tables and Figures for August 2015 Administration

Table D.1 Multiple-Choice Item Analysis Summary: Regents Examination in Chemistry

Table D.2 Constructed-Response Item Analysis Summary: Regents Examination in Chemistry

Item	Min. score	Max. score	Number of Students	Mean	SD	p-Value	Point-Biserial
51	0	1					

Figure



Figure D.2 Student Performance Map: Regents Examination in Chemistry



Figure D.3 Scree Plot: Regents Examination in Chemistry

Table D.4 Summary of Item Residual Correlations: Regents Examination in Chemistry

Statistic Type	Value
N	3570
Mean	-.01
SD	0.02
Minimum	-.09
P_{10}	-.04
P_{25}	-.03
P_{50}	-.01
P_{75}	0.00
P_{90}	0.02
Maximum	0.15
>|0.20|	0

Table D.5 Summary of INFIT Mean Square Statistics: Regents Examination in Chemistry

	INFITMean Square		
N	Mean	SD	Min

Table D.6 Reliabilities and Standard Errors of Measurement: Regents Examination in Chemistry

Subject	Coefficient Alpha	SEM
Chemistry	0.91	3.92

Table D.7 Decision Consistency and Accuracy Results: Regents Examination in Chemistry

Table D.8 Group Means: Regents Examination in Chemistry

Appendix E: Tables and Figures for January 2016 Administration

Table E.2 Constructed-Response Item Analysis Summary: Regents Examination in Chemistry

Figure E.1 Scatter Plot: Regents Examination in Chemistry

Table E.3 Descriptive Statistics in p-value and Point-Biserial Correlation: Regents Examination in Chemistry

Statistics	N	Mean	Min	Q1	Median	Q3	Max
p-value	85						



Figure E.2 Student Performance Map: Regents Examination in Chemistry



Figure E.3 Scree Plot: Regents Examination in Chemistry

Table E.4 Summary of Item Residual Correlations: Regents Examination in Chemistry

Statistic Type	Value
N	3570
Mean	> -.01
SD	0.03
Minimum	> -.12
P_{10}	> -.05
P_{25}	> -.03
P_{50}	> -.01
P_{75}	0.01
P_{90}	0.03
Maximum	0.19
>|0.20|	0

Table

T 8 Group Means: Regents Examination i