New York State Regents Examination in Geometry (Common Core)

2015 Technical Report

Prepared for the New York State Department of Education

by

Data Recognition Corporation

April 2016

Contents

CHAPTER 1: INTRODUCTION AND HISTORY 1

1.1 Introduction 1
1.2 History 1
1.3 Purposes of the Exam (Standard 12.1) 1
1.4 Target Population (Standard 7.2) 2

CHAPTER 2: CLASSICAL ITEM STATISTICS (STANDARD 4.10) 4

2.1 Item Difficulty 4
2.2 Item Discrimination 4
2.3 Discrimination Difficulty Scatterplots 6
2.4 Observations and Interpretations 7

CHAPTER 3: IRT CALIBRATIONS, EQUATING, AND SCALING (STANDARDS 2, AND 4.10) 8

3.1 Description of the Rasch Model 8
3.2 Software and Estimation Algorithm 9
3.3 Characteristics of the Testing Population 9
3.4. Item Difficulty-Student Performance Maps 9
3.5 Checking Rasch Assumptions 10
Unidimensionality 10
Local Independence 12
Item Fit 13

CHAPTER 4: RELIABILITY (STANDARD 2) 15

4.1 Reliability Indices (Standard 2.20) 15
Coefficient Alpha 16
4.2 Standard Error of Measurement

http://www.p12.nysed.gov/ciai/gradreq/2015GradReq11-15.pdf Results of the Regents Examination in Geometry (Common Core) may also be used to satisfy various locally established requirements throughout the State.

Table 1 Total Examinee Population: Regents Examination in Geometry (Common Core)

Demographics	Number	Percent
All Students*	112768	100
Race/Ethnicity		
American Indian or Alaska Native	524	0.46
Asian/Native Hawaiian/Other Pacific Islander	14443	12.81
Black or African American	16015	14.20
Hispanic or Latino	20436	18.12
Multiracial	1604	1.42
White	59744	52.98
English Language Learners		
No	109474	97.08
Yes	3294	2.92
Economically Disadvantaged		
No	66814	59.25
Yes	45954	40.75
Gender		
Female	59126	52.43
Male	53640	47.57
Student with Disabilities		

Chapter 2: Classical Item Statistics (Standard 4.10)

This chapter provides an overview of the two most familiar item-level statistics obtained from classical item analysis: item difficulty and item discrimination. The following results pertain only to the operational Regents Examination in Geometry (Common Core) items.

2.1 Item Difficulty

$$\bar{x} = \frac{1}{n} \sum_{i=1}^{n} x_i$$





Figure 1 Scatterplot: Regents Examination in Geometry (Common Core)

2.4 Observations and Interpretations

The p-values for the MC items ranged from 0.18 to 0.93, with an average of 0.52 while proportion-correct values for the constructed response items (Table 3) were 0.25 and 0.72. The difficulty distribution illustrated in Figure 1 shows a wide range of item difficulties on the exam. This is consistent with general test development practice which seeks to measure student ability along a full range of difficulty.

Chapter 3: IRT Calibrations, Equating, and Scaling (Standards 2, and 4.10)



Figure 2 Student Performance Map: Regents Examination in Geometry (Common Core)

3.5 Checking Rasch Assumptions

Since the Rasch model was the basis of all calibration, scoring, and scaling analyses associated with the Regents Examination in Geometry (Common Core), the validity of the inferences from these results depends on the degree to which the assumptions of the model were met and how well the model fits the test data. Therefore, it is important to check these assumptions. This section evaluates the dimensionality of the data, local item independence, and item fit. It should be noted that only operational items were analyzed, since they are the basis of student scores.

Unidimensionality

Rasch models assume that one dominant dimension determines the differences in student performance. Principal Components Analysis (PCA) can be used to assess the unidimensionality assumption. The purpose of the analysis is to verify whether any other dominant components exist among the items. If any other dimensions are found, the unidimensionality of test content assumption may be violated.

A parallel analysis (Horn, 1965) can be further helpful to help distinguish components that are real from components that are random. Parallel analysis is a technique to decide how many factors exist in principal components. For the parallel analysis, 100 random data sets of sizes equal to the original data

were created. For each random data set, a PCA was performed and the resulting eigenvalues stored. Then for each component, the upper 95th percentile value of the distribution of the 100 eigenvalues from the random data sets was plotted. Given the size of the data generated for the parallel analysis, the reference line is essentially equivalent to plotting a reference line for an eigenvalue of 1.

Figure 3shows the PCA and parallel analysis results for the Regents Examination in Geometry (Common Core). The results include the eigenvalues and the percentage of variance explained for the first five components as well as the scree plots. The scree plots show the eigenvalues plotted by component number and the results from a parallel analysis. Although the total number of components in PCA is same as the total number of items in a test, Figure 3 shows only 10 components. This view is sufficient for interpretation because components are listed in descending eigenvalue order. The lower eigenvalues from components 2 through 10 demonstrates that components beyond 1 are not individually contributing to the explanation of variance in the data.

As rule of thumb, Reckase (1979) proposed that the variance explained by the primary dimension should be greater than 20 percent to indicate unidimensionality. However, as this rule is not absolute, is helpful to consider thri 21 (y) w aractedislis

0.20 indicate a degree of local dependence that probably should be examined by test developers (Chen & Thissen, 1997).

6 L Q F H W K H W K U H H U H V L G X D O F R U U H O D W L R Q V D U H Y H U \ V L P
WINSTEPS was used for these analyses. Table 4 shows the summary statistics, standard deviation, minimum, maximum, and several percentiles (P10, P25, P50, P75, P90) for all the residual correlations for each test. The total number of item pairs (N) and the number of pairs with the residual correlations greater than 0.20 are also re/MCID T110 (re)-2r(re)73 (50, P)6 (75, P)-3 (90))]TJ /C

values. The number of items within a targeted range of [0.7, 1.3] is also reported in Table 5. The mean infit value is 1.00, with all items falling in a targeted range of [0.7, 1.3]. As the range of [0.7, 1.3] is used as guide for ideal fit, fit values outside of the range are considered individually. A finding of 36 out of 36 items falling in the ideal fit range indicates that the Rasch model fits the Regents Examination in Geometry (Common Core) item data well.

Table 5 Summary of Infit Mean Square Statistics: Geometry (Common Core)

	Infit Mean Square				
	Mean	SD	Min	Max	[0.7, 1.3]
Geometry	1.00	0.09	0.80	1.25	36/36

Items for the Regents Examination in Geometry (Common Core) were field tested in 2012-2014, and separate technical reports for each year were produced to document the full test development, scoring, scaling, and data analysis conducted. Please refer to http://www.p12.nysed.gov/assessment/reports for details.

Chapter 4: Reliability (Standard 2)

Test reliability is a measure of the internal consistency of a test (Cronbach, 1951). It is a measure of the extent to which the items on a test provide consistent information about student mastery of a domain. Reliability should ultimately demonstrate that examinee score estimates maximize consistency and therefore minimize error, or theoretically speaking, that examinees who take a test multiple times would get the same score each time.

Reli

practice, it is clear that larger coefficients are more desirable because they indicate that test scores are less influenced by random error.

Coefficient Alpha
Reliability is most often estimated using the formula for Coefficient Alpha, which provides a practical internal consistency index. Coefficient Alpha can be conceptualized as the extent to which an exchangeable set of items from the same domain would result in a similar rank ordering of students. Note that relative error is reflected in this index. Excessive variation in student performance from one sample of items to the next should be of particular concern for any achievement test user.

A general computational formula for Alpha is as follows:

$$= \frac{}{-1}\left(1 - \frac{\sum_{=1}^{2}}{^{2}}\right),$$

where N is the number of parts (items), $^{2}_{x}$ is the variance of the observed total test scores, and $^{2}_{i}$ is the variance of part i. Table 6 in section 4.2 displays the coefficient alpha for the in Regents Examination in Geometry (Common Core), along with the standard error of measurement (SEM).

4.2 Standard Error of Measurement (Standards 2.13, 2.14, 2.15)
Reliability coefficients best reflect the extent to which measurement inconsistencies may be present or absent. The standard error of measurement is another indicator of te (of the)5 (obs)C4 ((or)-6 s3s6 (eh

The use of Rasch IRT to scale and equate the Regents Examinations, however, does not make it possible to calculate CSEMs using the procedures described by Kolen, Zeng, and Hanson (1996) for

measurement will be concave up (U-shaped), even though the pattern for the raw scores was concave down (inverted-U shape).

Results and Observations

The CSEMs for the Regents Exams can be expected to have inverted-U shaped patterns, with some variations. The relationship between raw and scale scores for the Regents Exams tends to be roughly linear from scale scores of 0 to about 70 and then concave down from about 70 to 100. In other words, the scale scores track linearly with the raw scores for about the lower 80 percent of the scale score range and then are compressed relative to the raw scores for about the remaining 20 percent of the range, though there are variations.

Figure 4 shows this type of CSEM variation for the Regents Examination in Geometry (Common Core) where the compression of raw score to scale scores between the cut scores of 65 and 85 changes the shape of the curve noticeably. This type of expansion and compression can be seen in Figure 4 by looking at the changing density of raw score points along the scale score range on the horizontal axis. Specifically, the raw scores are expanded up to a scale score of about 20 followed by very noticeable compression through a scale score of about 95.

Figure 4 Conditional Standard Error Plots: Regents Examination in Geometry (Common Core)

4.3 Decision Consistency and Accuracy (Standard 2.16)

In a standards-based testing program there is interest in knowing how accurately students are classified into performance categories. In contrast to the Coefficient Alpha, which is concerned with the relative rank-ordering of students, it is the absolute values of student scores that are important in decision consistency and accuracy.

Classification consistency refers to the degree to which the achievement level for each student can be replicated upon retesting using an equivalent form (Huynh, 1976). Decision consistency answers the following question: What is the agreement between the classifications based on two non-overlapping, equally difficult forms of the test? If two parallel forms of the test were given to the same students, the consistency of the measure would be reflected by the extent that the classification decisions made from the first set of test scores matched the decisions based on the second set of test scores. Consider the tables below.

Table 8 Group Means: Regents Examination in Geometry (Common Core)

Demographics	Number	Mean Scale score	Standard error of group
All Students*	112768	68.29	15.20
Ethnicity			
American Indian/Alaska Native	524	65.68	13.69
Asian/Native Hawaiian/Other Pacific Islander	14443	74.84	14.70
Black/African American	16015	57.77	14.37
Hispanic/Latino	20436	60.21	14.40
Multiracial	1604	69.52	14.97
White	59744	72.28	13.09
English Language Learner			
No	109474	68.65	14.96
Yes	3294	56.29	17.96
Economically Disadvantaged			
No	66814	72.05	13.96
Yes	45954	62.83	15.27
Gender			
Female	59126		

Table 9 State Percentile Ranking for Raw Score Regents Examination in Geometry (Common Core)

Chapter 5: Validity (Standard 1)

Restating the purpose and uses of the Regents Examination in Geometry (Common Core), this exam measures H [D P L Q H H D F K L H Y H P H Q W D J D L Q V W 1 H Z < R U N 6 W D W H ¶ V by teacher examination committees and New York Department of Education subject and testing specialists, and it provides teachers and students with important information about student learning and performance against the established curriculum standards. Results of this exam may be used to identify student strengths and needs to guide classroom teaching and learning. The exams also provide students, parents, counselors, administrators, and college admissions officers with objective, easily understood achievement information that may be used to inform empirically based educational and vocational decisions about students. As a State-provided objective benchmark, the Regents Examination in Geometry (Common Core) is intended for use in satisfying State testing requirements

Geometry course, specifically. More information about the relationship between the NYSCCLS and the PARCC Model Content Frameworks can be found in this memo.

Content validity is necessarily concerned with the proper definition of the construct and evidence that the test provides an accurate measure of examinee performance within the defined construct. The test blueprint for the Regents Examination in Geometry (Common Core) is essentially the design document for constructing the exam. It provides explicit definition of the construct domain that is to be represented on the exam. The test development process, (discussed in the next section), is in place to ensure to the extent possible that the blueprint is met in all operational forms of the exam.

Table 10 displays the Conceptual category, domains, and target percent of each for the Regents Examination in Geometry (Common Core). Geometry is associated with the high school content standards within the conceptual category of Geometry. This conceptual category contains domains of related clusters of standards. This chart shows the high school mathematics domains included in Geometry, as well as the corresponding percent of credits on the Geometry Regents Exam.

Table 10 Test Blueprint, Regents Examination in Geometry (Common Core)

statistical information generated during field testing to select the highest quality items for use in the operational test.

Figure 7 summarizes the full test development process, with steps 3 and 4 addressing initial item development and review. This figure also demonstrates the ongoing nature of ensuring the content validity of items through field test trials, and final item selection for operational testing.

Initial item development is conducted under the criteria and guidance provided by multiple documents, including the blueprint noted in Table 10 and Item Writing Guidelines noted in Appendix A. To

The item review process helps to ensure the consistent application of rigorous item reviews intended to assess the quality of the items developed and identify items that require edits or removal from the pool of items to be field tested. This process allows high quality items to be continually developed in a manner that is consistent with the test blueprint. Item review guidelines for multiple-choice items are included in Appendix C.

All reviewers participate in rigorous training designed to assist in a consistent interpretation of the standards throughout the item review process. This is a critical step in item development because consistency between the standards and what the items are asking examinees is a fundamental form of evidence of the validity of the intended score interpretations. Another integral component of this item UHYLHZ SURFHVV LV WR UHYLHZ WKH VFRULQJ UXOHV RU ³UX examinee is being asked to demonstrate by responding to each item. Each of these elements of the review process are in place, ultimately, to target fairness for all students by targeting consistency in examinee scores and providing evidence of the validity of their interpretations.

Specifically, the item review process articulates the four major item characteristics the New York State Education Department looks for in developing quality items:

1. language and graphical appropriateness
2. sensitivity/bias
3. fidelity of measurement to standards
4. conformity to the expectations for the specific item types and formats

Each of the criteria includes pertinent questions that help reviewers determine whether or not an item is of sufficient quality. Within the first two categories, criteria for language appropriateness are used to help ensure that students understand what is asked in each question and that the language in the TXHVWLRQ GRHV QRW DGYHUVHO\ DIIHFW D VWXGHQW¶V DELO

Ea

5.2 Evidence Based on Response Processes

The second source of validity evidence is based on examinee response processes. This standard requires evidence that examinees are responding in the manner intended by the test items and rubrics and that raters are scoring those responses consistent with the rubrics. Accordingly, it is important to control and monitor whether construct-irrelevant variance in response patterns has been introduced at any point in the test development, administration, or scoring processes.

The controls and monitoring in place for the Regents Examination in Geometry (Common Core) include the item development process, with attention paid to mitigating the introduction of construct-irrelevant variance. The development process described in the previous sections details the process and attention given to reducing the potential for construct irrelevance in response processes by attending to the quality and alignment of test content to the test blueprint and to the item development guidelines. Further evidence is documented in the test administration and scoring procedures, as well as the results of statistical analyses, which are covered in the following two sections.

Adherence to standardized administration procedures is fundamental to the validity of test scores and their interpretations, as such procedures allow for adequate and consistently applied conditions for scoring the work of every student who takes the examination. For this reason, guidelines titled Secondary Level Examinations (http://www.p12.nysed.gov/assessment/sam/secondary/hssam-update.html) have been developed and implemented for the New York Regents testing program. All secondary level Regents examinations are administered under these standard conditions to support valid inferences for all students. These standard procedures also cover testing students with disabilities that are provided testing accommodations consistent with their Individualized Education Programs (IEPs) or Section 504 Accommodation Plans (504 Plans). Full test administration procedures are available at http://www.p12.nysed.gov/assessment/hsgen/.

The implementation of rigorous scoring procedures directly supports the validity of the scores. Regents test-scoring practices therefore focus on producing high quality scores. Multiple-choice items are scored via local scanning at testing centers, and trained educators score constructed-response items. There are many studies that focus on various elements of producing valid and reliable scores for constructed-response items, but generally, attention to the following all contribute to valid and reliable scores for constructed-response items:

1) Quality training (Hoyt & Kerns, 1999; Lumley & McNamara, 1995; Wang, Wang, and Kwong, 2010; Gorman & Rentsch, 2009; Schleicher, Day, Bronston, Mayes, and Riggo, 2002; Woehr & Huffcutt, 1994; Johnson, Penny, and Gordon, 2008; Weigle, 1998)
2) Detection and correction of rating bias (McQueen & Congdon, 1997; Congdon & McQueen, 2000; Myford, & Wolfe, 2009; Barkaoui, 2011; Patz, Junker, Johnson, and Mariano, 2002)
3) Consistency or reliability of ratings (Congdon & McQueen, 2000; Harik Clauser, Grabovsky, Nungester, Swanson, & Nandakumar, 2009; McQueen & Congdon, 1997; Myford, & Wolfe, 2009; Mero & Motowidlo, 1995; Weinrott & Jones, 1984)
4) Rubric designs that facilitate consistency of ratings (Pecheone & Chung, 2006; Wolfe & Gitomer, 2000; Cronbach, Linn, Brennan, & Haertel, 1995; Cook & Beckman, 2009; Penny, Johnson, & Gordon, 2000; Smith, 1993; Isaacock, Gonzalez, and Conard, 2014)

The distinct steps for operational test scoring include close attention to each of these elements and begin before the operational test is even selected. After the field test process, during which many more items than appear on the operational test are administered to a representative sample of students, a set of ³anchor´ papers representing student responses across the range of possible responses for constructed-response items are selected. The objective of these ³set D-Q-Q-H G L Q J´ is to create a training set for scorer training and execution, the scores from which are used to generate important statistical information about the item.

the question asked. The more explicit the rubric (and the item), the more clear the response expectations are for examinees.

In support of the goal of valid score interpretations for each examinee, then, such scoring training procedures are implemented for the Regents Examination in Physical Setting/Earth Science. Operational raters are selected based on expertise in the exam subject and are assigned a specific set o items to score. No more than approximately one-half of the items on the test are assigned to any one rater. This has the effect of increasing the consistency of scoring across examinee responses by allowing each rater to focus on a subset of items. It also assures that no one rater is allowed to score the entire test for any one student. This practice reduces the effect of any potential bias of a single rater on individual examinees. Additionally, no rater is allowed to score the responses of his or her own students.

5.4 Evidence Based on Relations to Other Variables

Another source of validity evidence is based on the relation of the test to other variables. This source commonly encompasses two validity categories prevalent in the literature and practice: concurrent and predictive validity. To make claims about the validity of a test that is to be used for high stakes purposes, such as the Regents Examination in Geometry (Common Core), these claims could be supported by providing evidence that performance on the Geometry test correlates well with other tests that measure the same or similar constructs. Although not absolute in its ability to offer evidence that concurrent test score validity exists, such correlations can be helpful for supporting a claim of concurrent validity if the correlation is high. To conduct such studies, matched examinee score data for other tests measuring the same content as the Regents Examination in Geometry (Common Core) is ideal, but the systematic acquisition of such data is complex and costly.

Importantly, a strong connection between classroom curriculum and test content may be inferred by the 7/Ar(omm)-3 (onl)ooce

test. In this sense, the sources of evidence documented in this report (based on the construct, internal test structure, response processes, and relation to other variables) serve as a consequential validity argument as well. This evidence supports conclusions based on test scores that social consequences are not likely to be traced to characteristics or qualities of the test itself. Cronbach (1988), on the other hand, argues that negative consequences could invalidate test use. From this perspective, the test user is obligated to make the case for test use and to ensure appropriate and supported uses.

Regardless of perspective on the nature of consequential validity, however, it is important to caution against uses that are not supported by the validity claims documented for this test. For example, use of this test to predict examinee scores on other tests is not directly supported by either the stated purposes or by the development process and research conducted on examinee data. A brief survey of websites for New York State universities and colleges finds that, beyond the explicitly defined use as a testing requirement toward graduation for students who have completed a course in Geometry, the exam most commonly used to inform admissions and course placement decisions. Such uses can be considered reasonable, assuming the competencies demonstrated in the Regents Examination in Geometry (Common Core) are consistent with those required in the courses for which a student is seeking enrollment or placement. Educational institutions using the exam for placement purposes are advised to examine the scoring rules for the Regents Examination in Geometry (Common Core) and to assess their appropriateness for the inferences being made about course placement.

As stated, the nature of validity arguments is notess C 0 -13.8i Bip3 (e)4 (teEtted in the5.887)(e)4(sshrou

References

American Educational Research Association, American Psychological Association, & National Council on Measurement in Education (2014).Standards for educational and psychological testing Washington, DC: American Educational Research Association.

Horn, J. L. (1965). A rationale and test for the number of factors in factor analysis. *Psychometrika, 32*, 179–185.

Hoyt, W. T., & Kerns, M. (1999). Magnitude and moderators of bias in observer ratings: A meta-analysis. *Psychological Methods, 4*, 403–424.

Huynh, H. (1976). Statistical consideration of mastery scores. *Psychometrika, 41*, 65–78.

Johnson, R. L., Penny, J. A., & Gordon, B. (2008). *Assessing performance*. New York, NY: The Guilford Press.

Kolen, M. J. (2004). POLYCSEM [Computer program]. University of Iowa. Retrieved August 1, 2012, from http://www.education.uiowa.edu/casma/computer_programs.htm.

Kolen, M. J., & Brennan, R. L. (2005). *Test equating, scaling, and linking: Methods and practices* (2nd ed.). New York : Springer-Verlag.

Kolen, M. J. & Lee, W. (2011). Psychometric Properties of Raw and Scale Scores on Mixed-Format Tests. *Educational Measurement: Issues and Practice, 30*(2), 15–24.

Kolen, M. J., Zeng, L., & Hanson, B. A. (1996). Conditional standard errors of measurement for scale scores using IRT. *Journal of Educational Measurement, 33*(2), 129-140.

Leacock, Claudia, Gonzalez, Erin, Conarroe, Mike. (2014). *Developing effective scoring rubrics for AI short answer scoring*. McGraw-Hill Education CTB Innovative Research and Development Grant. Monterey: McGraw-Hill Education CTB.

Livingston, S. A., & Lewis, C. (1995). Estimating the consistency and accuracy of classifications based on test scores. *Journal of Educational Measurement, 32*, 179–197.

Lumley, T., & McNamara, T. F. (1995). Rater characteristics and rater bias: Implications for training. *Language Testing, 12*, 54–72.

Lord, F. M. (1980). *Applications of item response theory to practical testing problems*. Hillsdale, NJ: Lawrence Erlbaum.

Messick, S. (1995). Standards of Validity and the validity of and standards in performance assessment. *Educational Measurement: Issues and Practice, 14*(4), 5–8.

McQueen, J., & Congdon, P. J. (1997, March). *Rater severity in large-scale assessment: Is it invariant?* Paper presented at the Annual Meeting of the American Educational Research Association, Chicago, IL.

Mero, N. P., & Motowidlo, S. J. (1995). Effects of rater accountability on the accuracy and the favorability of performance ratings. *Journal of Applied Psychology, 80*(4), 517–524.

Myford, C. M., & Wolfe, E. W. (2009). Monitoring rater performance over time: A framework for detecting differential accuracy and differential scale use. *Journal of Educational Measurement*, 46(4), 371 ±389.

Patz, R.J., Junker, B.W., Johnson, M. S., and Mariano, L.T. (2002). The Hierarchical Rater Model for Rated Test Items and its Application to Large-Scale Educational Assessment Data. *Journal of Educational and Behavioral Statistics*, 27: 341.

Pearson, K. (1896). Mathematical Contributions to the Theory of Evolution. III. Regression, Heredity and Panmixia. *Philosophical Transactions of the Royal Society of London*, 187, 253

8. The stem should include any words that would otherwise need to be repeated in each alternative.
In general, the stem should contain everything the alternatives have in common or as much as possible of their common content. This practice makes an item concise. Exceptions include alternatives containing units and alternatives stated as complete sentences.

9. The item should have one and only one correct answer.
Items should not have two or more correct alternatives. All of the above and none of the above are not acceptable alternatives.

10. The distractors should be plausible and attractive to students who lack the knowledge, understanding, or ability assessed by the item.
Distractors should be designed to reflect common errors or misconceptions of students.

11. The alternatives should be grammatically consistent with the stem.
Use similar terminology, phrasing, or sentence structure in the alternatives. Alternatives must use consistent language, including verb tense, nouns, number (singular/plural), and declarative statements. Place a period at the end of an alternative only if the alternative by itself is a complete sentence.

12. The alternatives should be parallel with one another in form.
The length, complexity and specificity of the alternatives should be similar. For example, if the stem refers to a process, then all the alternatives must be processes. Avoid the use of absolutes such as always and never in phrasing alternatives.

13. The alternatives should be arranged in logical order, when possible.
When the alternatives consist of numbers and letters, they should ordinarily be arranged in ascending or descending order. An exception would be when the number of an alternative and the value of that alternative are the same. For example: (1) 1 (2) 2 (3) 0 (4) 4.

14. The alternatives should be independent and mutually exclusive.
Alternatives that are synonymous or overlap in meaning often assist the student in eliminating distractors.

15. The item should not contain extraneous clues to the correct answer.
Any aspect of the item that provides an unintended clue that can be used to select or eliminate an alternative should be avoided. For example, any term that appears in the stem should not appear in only one of the alternatives.

16. Notation and symbols as presented on Common Core examinations should be used consistently.
For example, AB means the length of line segment AB, $\overline{AB}$ means line segment AB, and $\overarc{AB}$ means the number of degrees in the measure of angle A, etc.

11. Items that require students to explain in words are encouraged.
One of the emphases of the Common Core standards is to foster student ability to communicate mathematical thinking. An example is to have students construct viable arguments to make conjectures, analyze situations, or justify conclusions. These items would require students to demonstrate precision of knowledge in their responses.

12. Items may be broken into multiple parts that may be labeled a, b, c, etc.
Clear division of the parts of the problems may simplify the writing of the rubric for these types of items.

13. Notation and symbols as presented on Common Core examinations should be used consistently.
For example, AB means the length of line segment AB, $\overline{AB}$ means line segment AB, and $m\angle A$ means the number of degrees in the measure of angle A, etc.